| TRAVEL ROUTE | POINTS OF INTEREST |
|--|---|
| Following badging and loading | On left: C-103, DOE Site Office and C-811, Parking Area (C- |
| at Kevil Facility, proceed east | 720) |
| on Hwy 60 to Hobbs Road, | |
| turn left onto Hobbs Road and | |
| proceed to Post 15, slowly | On right: C-802-A, Meteorological Communications Building, |
| | C-810, C-811, Parking Areas, C-100, Administration Building, the Information Technology Area, and Motorcycle shed |
| After entering the plant, <i>pause</i> at Ohio Ave. | Point out: |
| | C-801, Bus Shelter, |
| Turn left onto Ohio Ave. | C-200, Security Department, |
| | C-202 Security Training Area, and |
| | C-212, Utility and HP Office Area |
| Proceed west on Ohio Ave. to fueling station, <i>pause</i> | On left: C-229, Security Post |
| | On right: C-751, Fuel Dispensing Facility, C-720, Maintenance and Stores Building, C-720 G, Warehouse and H, Warehouse (Storage and Receiving). |

| Turn right at the fuel station and proceed to 8 th St., turn left onto 8 th St., <i>pause</i> at C-720, Maintenance and Storage Building first roll-up door. | On left: C-720, Maintenance and Storage Building, C-720-A, Compressor Shop, 720-C, Converter Shop, C-720-B, Machine Shop Addition (Inspection Shop, and Instrument Shop). |
|--|---|
| | On right: C-200, Security Firing Range, Security Office Trailer, C-200-A, Respirator Facility, C-720-M, Computer Maintenance Storage Trailer. |
| Turn right onto road south of garage, proceed <i>slowly</i> to 10 th St., <i>pause</i> at the intersection. | On right: C-200, Fire Department and Fire apparatus bays, On left: C-750, Garage. |
| | Directly in front: C-710, Technical Services (Laboratory) Building. |
| Turn left onto 10 th St. and proceed to Tennessee Ave., <i>pause</i> at intersection. | On right: C-412, Decontamination and Dismantlement (D&D) Trailer Complex (14 trailers of which three have restrooms and change facilities), and C-400, Cleaning (Chemical Operations) Building. |
| Turn left onto Tennessee Ave., proceed <i>slowly</i> to 6 th St., <i>pause</i> at intersection. | On right: C-600, Utilities Steam Plant, C-604, Utilities Maintenance Shop, C-604-A, Utilities Storage Building, and C-601, Nitrogen Generating Building. |
| | To the rear is the C-606, Coal Crusher Building |
| | On left: C-720-C, Converter Shop, C-724, Carpenter Shop, and C-725, Paint Shop |

| Turn left onto 6 th St.; proceed | On right: C-744, Material Handling Building (Lube Shop), C- |
|---|---|
| slowly toward Ohio Ave | 732, Maintenance Materials Storage Building is behind the |
| | Lube Shop, C-741, Equipment Storage Shed, C-740-C, Oil |
| | Drum Storage Shed, and C-743, Office Building (Utility |
| | Offices). |
| | |
| | |
| | On left: C-720 Sheet Metal Shop, C-720-E, Change House, |
| | and C-720-D, Transformer Building. |
| | |
| Turn right onto Ohio Ave, | C-743 Trailer Complex (18 trailers, of which, 11 have men |
| pause | and women restrooms) |
| | |
| | |
| Proceed through the C-743 | On right: C-743- T17, Lab Support Trailer, T11, 13, 14 |
| trailer complex. | Security Trailers, and C-743-B and C Storm Shelters. |
| | |

| Proceed past 4 th St. to the C- | Point out: C-615 Sewage Disposal, NW are the C-764, Office |
|--|--|
| 15, Sewage Disposal Plant, | Trailer Complex (11 trailers, of which 10 have men and |
| nd turn around at Patrol Road | women restrooms), just beyond that is C-615-O, Oil Control |
| 1 intersection, <i>pause</i> . | Building and just outside the fence is C-615-L, Oil Monitoring |
| | Station. |
| | |
| | |
| | On left: C-207, Fire Department Smoke Training Facility |
| | |
| | |
| | |
| | |
| | |
| O | |
| nto Tennessee Ave | |
| | 15, Sewage Disposal Plant, nd turn around at Patrol Road |

| Proceed east to 6 th St. and turn left onto 6 th St., <i>pause</i> . | Discuss RR tracks at intersection (track #4, 2, 8 and 6) Track 4 south of lube shop, #2 is main track alongside and north of Tennessee Ave., #8 goes toward C-600, Steam Plant and #6 goes north toward C-335, Process Building. |
|--|--|
| Proceed <i>slowly</i> north, toward | On left: Solid Waste Management Units (SWMU's): |
| Virginia Ave. <i>Pause</i> at | |
| intersection. | C-747, Burial Area (Contaminated Burial Ground). |
| | |
| Turn left onto Virginia Ave. | Diagonally across the road is C-404, Radioactive Waste Burial |
| and proceed toward Patrol Rd. | Ground (Low-Level Radioactive Waste), and just west of that |
| #1. | is C-749, Uranium Scrap Burial Yard. |
| Turn right onto Patrol Rd. #1 | On right: C-745-B1, Cylinder Storage Yard Office and C-742- |
| and proceed toward Pump and Treat Area. | B, Drying Agent Cylinder Storage. |
| | |
| Pause near scrapyard gravel | On left: C-612, Pilot Pump and Treat, Decontamination Pad, |
| road intersection and C-746-F, Burial Ground | C-612, Pilot Pump and Treat Area Trailers 1, 2 and 3 and C-612-B, Storm Shelter. |
| | |
| | On right and to the east: Solid Waste Management Units - C-746-F, Classified Scrap Burial Yard and C-747-B, Burial Area. |

| Turn right onto the Scrap Yard Gravel Road, North of C-746- P Trailers and proceed East slowly. | On right: C-746-P, Scrap Metal Trailer Area (4 trailers, with trailer 1 having a change house and two restrooms) |
|---|---|
| Proceed East, past C-746-P Trailers, and turn right near the C-747-B, Burial Yard. <i>Pause</i> | On left: Across the field is the C-747-A, Burial Area and C-747-A, Burn Area. |
| | Just ahead are C-746-A North and C-746-B South Warehouses. |
| At the intersection of the gravel road near the C-746 South Warehouse, <i>Pause</i> | On right: C-752, RA Waste Holding Facility, and C-752-A, ER Waste Storage Facility and C-752A-T09, Waste Operations Office. |
| Proceed past the warehouses, turn left onto 10 th St. and proceed north toward Patrol Road #2. | On the left: C-616-A, Chemical Feed Building and the C-616-K, Service Building. |
| Pause at the intersection. | |
| Turn right onto Patrol Road #2. | |

| Proceed east to 14 th St. Turn right onto 14 th St. | On right: C-535-2, Switchyard, inside the first truck alley is the C-535-4, Test Shop (Maintenance Office). The C-537-2, Switchyard has a similar Test Shop Office, C-537-4. |
|--|--|
| | On left: C-536, Relay House and the C-541-A, Oil Pump House. |
| Proceed south on 14 th St. to | On left: Point out the C-337, Process Building |
| Vermont, turn left onto Vermont Ave. and proceed to | |
| C-360, Toll Transfer and | On right: Point out the C-335, Process Building. |
| Sampling Building | |
| | After turning the corner at Vermont, point out the Health Physics Trailer - C-337-T01 (on south side), the C-337-A, and T02 near C-337-A. |
| Turn into the C-360 parking lot. <i>Pause</i> in the parking lot area. | On right: C-360, Toll Transfer and Sampling Building, C-360, T-01 is the HP Storage Trailer just east of the building. |
| | |
| Proceed out of the parking lot and turn left onto Vermont. Proceed to the 16 th St. intersection and turn left onto 16 th St. | |

| Proceed slowly south toward | On right: C-631-2, Cooling Tower and south of that are C- |
|--|--|
| Tennessee Ave., pause at the | 631-T08, Decontamination Trailer, C-631-T-09 Asbestos Crew |
| Tennessee Ave. intersection. | Break area, and C-631-T14, RCW Supervisor's Office. |
| | Directly to the left is the C-225, Security Post 48. |
| Proceed across Tennessee | On left: C-315, Surge and Waste Building (tails withdrawal). |
| Ave., <i>slowly</i> past C-331 and C- | |
| 333. | |
| | On right: C-331, Process Building |
| | |
| | |
| A C | |
| After crossing Ohio Ave., | On left: C-532, Relay House and to the south and east of C-532 |
| proceed slowly to Michigan | is the C-540-A, Oil Pump House. |
| Ave. Turn right onto | |
| Michigan Ave., Proceed west. | |
| and turn north onto 13 th St. | On right: C-333, Process Building. |
| Proceed north toward Ohio | On right: C-333-T-06. |
| Ave. | |
| Pause at the intersection of | Directly ahead: C-310, Purge and Product Building, attached |
| 13 th St. and Ohio Ave. | and just North of the C-310 is the C-310-A, Product |
| | Withdrawal Area. |
| | |

| Turn left onto Ohio Ave. and proceed <i>slowly</i> toward C-100. | On left: C-304, Training and Cascade Office Building. |
|---|--|
| | On right: C-300, Central Control, C-302 Office Area, C-320, Communications Building, C-303, Supervisory Control and Data Acquisition (SCADA) Building, C-710, Technical Services Building (Laboratory), C-709, Plant Laboratory Annex. |
| Turn left toward Medical and <i>pause</i> after making the turn. Proceed toward the General | On right: C-102 Office Trailers (9), C-102 Medical Facility. |
| Manager's office and park in the area East of the office. | On left: C-100 Office Trailers (8). We will be getting out at the C-100 facility and walk through the C-100, 101, and 102. |
| C-100 Walk Through | Enter near General Manager's Office, point out the GM Conference Room, proceed up the steps across the hall, walk 2 nd floor to west end and look at Roxy, go back to the center steps, near vault, go down steps to first floor, turn right and proceed toward Cafeteria (point out IT and computer area), walk through Cafeteria, go across parking lot into east hallway, look into Medical, walk southward to the General Manager's office area and have restroom break. Board bus. |
| Proceed out of the C-100, Parking area, and left onto Ohio Ave., left onto the Access Road and out through Post 15. | Discuss the mowing zones, parking lots, and cylinder yards, as needed. |

| Proceed to the DUF ₆ area, turn into the DUF ₆ parking lot, <i>and pause</i> . Proceed through the parking lot. Turn left onto the Access Road | Point out the DUF ₆ RR tracks and bridges. On Right: Point out South Acid Road and bridge that is |
|---|--|
| and proceed to Dyke Road. | currently closed but may reopen. |
| Pause before turning onto | |
| Dyke Road. | |
| Turn left onto Dyke Road and | Discuss mowing area alongside roads, air monitoring stations, |
| proceed to C-755 Construction | monitoring wells. |
| Staging Area. | |
| Stop at stop sign near C-755. | On right: Discuss Dyke Road bridge that is currently out and the fact it may be rebuilt. On left: C-755-P, Parking area. |
| Turn left and proceed toward | Directly ahead is C-225, Security Post 48, On right: C-755, |
| C-225 Post 48, slow near Post | Environmental Remediation Trailer Complex (24 trailers, only |
| 48. Turn right into C-755 | 8 of which are on the Janitorial program, T-10 through T-12 |
| drive. Pause, and then turn | are storage trailers and T-19 is the Break Trailer, C-755-A, |
| around in drive area. | Maintenance Shop, C-755-B Change Trailer, C-755 Storm Shelters (E-H), C-755 T-17 Shower Facility, C-755-U, |
| | Equipment Sheds (8), and C-755-V, Equipment Shed (Salt |
| Proceed to Post 48 access road, turn right and proceed to Dyke | Storage Building. The C-755-P Parking lot is on the Right. |
| Road, then to the Plant Access | |
| Road. Turn right and proceed | |
| back to Curlee Road. | |

| Turn left onto Curlee Road and proceed toward C-611. If | On left: Discuss the RR trestle crossing Big Bayou Creek. |
|--|---|
| possible, turn left onto the RR | |
| trestle access road. If not possible, proceed to the Water | On right: point out RR tracks entering the plant. Discuss the vehicle bridge crossing Big Bayou Creek |
| Works Road intersection and | veincle oriage crossing big bayou creek |
| pause. | |
| Proceed toward C-611, slowly. | On left: C-746-K, Sanitary Landfill SWMU |
| | |
| | On right: C-611, Water Treatment Plant, C-611-A, Building |
| | and Shop Storage, C-611-B, Head House and C-611-T01, |
| | Pump and Treat Office |
| Turn around near C-611 and | On Right: C-752-C, Offsite Decontamination Pad, and C-752- |
| return down Water Works Road to Curlee Road. Proceed | D, Gravel Pad and C-752-B, Fueling Station. |
| through this intersection (on | |
| Water Works Road) to the C- | On left: C-730, Maintenance Services Building, and C-730, |
| 730 area. | Trailer Area (C-730-T01, C-730-T02 and C-730-T06). |
| | |
| Turn onto the C-730 Access | |
| Road and <i>pause</i> . | |
| | |

| Return to Kevil facility via | To the north of the plant, off Ogden Landing Road, is the : C- |
|------------------------------|--|
| Hobbs Road and Hwy 60. | 746-U, Contained Landfill, the C-746-U1 Solid Waste |
| , | Landfill Office Building, the C-746-U2, Solid Waste Landfill |
| | Equipment Building, the C-746-U3, Solid Waste Landfill |
| | Leachate Facility, the C-746-S, Closed Sanitary Landfill and |
| | the C-746-T, Closed Inert Landfill (SWMU 145). |